


E-LITE semicon
E-Lite Semiconductor Co., Ltd.
Headquarter & Factory
Website: http://www.elitesemicon.com

INDOOR LIGHTING

E-LITE semicon

E-LITE | Since 2008



Company Philosophy

Internally	Employee are the real treasure of the company, taking care of the employee's well-being, the employee will be self-driven to take care the company's well-being.
Externally	Business integrity and win-win partnership is the foundation of the company prosperity, supporting and sharing profit with long term partners would ensure the company's sustainable healthy growth.

Market Strategy

Servicing the world the best by finding and servicing the right partners worldwide.



E-LITE

Certificate >>>



















































E-LITE

THE MAGNET TRACKING LIGHT













we are unique magnet tracking manufacturer

- All the mold including install fittings is our private mold.
- We finished all the manufacturing parts including a tiny connector.
- Each detail reach top standard in Europe, every particular meet highest level in China.
- We solved all the problems you have met or might meet.
  - L shape corner not hard enough may be cracking and cause the accident.
  - The diameter of copper wire not wide enough may cause short-circuit.
  - The size of the track is not correct which made install problem.
  - The connector can' t install on the ceiling must finish before install,which made installation work harder.
  - Don' t have reserved wire hole on the track made installation work harder.
  - Too many accessories made installation work complex.
  - A rough surface treatment made a bad effect on the good appearance.
  - Only rely on the magnet to connect the light, not safe enough and hard to pass the certificate.
  - All the product is public mold, lack of product differentiation.
  - Bad detail treatment like burring and painting make the product looks low-end.
  - Did not use high-quality material make the product lose high strength.

Light Strip 12w




Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Light Strip 24w




Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Grille Light 12w




Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Grille Light 24w



Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Adjustable Grille Light 6w



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Adjustable Grille Light 12w



Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Spot light 5w





Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

Spot light 7w





Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
Light Strip 12w	12W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Light Strip 24w	24W	Isolated	175-265V	Die-casting Aluminium	120	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	230 *22 *25mm	Surface mount	Black	3 YEARS
Grille Light 24w	24W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	456 *22 *25mm	Surface mount	Black	3 YEARS
Adjustable Grille Light 6w	6W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	112 *22 *136	Surface mount	Black	3 YEARS
Adjustable Grille Light 12w	12W	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	225 *22 *136	Surface mount	Black	3 YEARS
Spot light 5w	5w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS
Spot light 7w	7w	Isolated	175-265V	Die-casting Aluminium	15/24/40	90 lm/w	90	100 *45	Surface mount	Black	3 YEARS

E-LITE

IP65 WATERPROOF DOWNLIGHT



IP65 Waterproof Downlight






Product Details



	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out （mm）	Color	Warranty
IP65 WATERP ROOF DOWNLI GHT	7W	Isolated	175-265V	Die-casting Aluminium	120	70lm/w	80	φ90*45	70	White	3 YEARS
	10W	Isolated	175-265V	Die-casting Aluminium	120	70lm/w	80	φ105*65	85	White	3 YEARS
	10W	Isolated	175-265V	Die-casting Aluminium	120	70lm/w	80	φ130*68	105	White	3 YEARS
	20W	Isolated	175-265V	Die-casting Aluminium	120	70lm/w	80	φ165*90	140	White	3 YEARS
	30W	Isolated	175-265V	Die-casting Aluminium	120	70lm/w	80	φ190*95	165	White	3 YEARS
	40W	Isolated	175-265V	Die-casting Aluminium	120	70lm/w	80	φ225*105	200	White	3 YEARS



E-LITE

ANTI-GLARE REPLACEABLE SPOTLIGHT



AG9001B-Q



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9001B-S




Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9003B




Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9006B



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years


AG9014B



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years






AG9004B-S




Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out （mm）	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG90108	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG90148	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9004B-Q



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out （mm）	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG90108	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG90148	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9010B



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9011B



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

AG9012B



Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG9001B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*55	75	White/Black	5 years
AG9001B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9003B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9004B-Q	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*55	75	White/Black	5 years
AG9004B-S	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*85*70	75	White/Black	5 years
AG9006B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	85*70	75	White/Black	5 years
AG9010B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	116*116*85	105*105	White/Black	5 years
AG9011B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	236*116*85	225*105	White/Black	5 years
AG9012B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	90	342*116*85	332*105	White/Black	5 years
AG9014B	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	36	85lm/w	91	82*79	73.5	White/Black	5 years

E-LITE semicon

E-LITE

CLASSIC


SPOTLIGHT



AG8802




Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG8802	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8803	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8821	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8822	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years

AG8803



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG8802	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8803	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8821	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8822	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years

AG8821




Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG8802	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8803	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8821	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8822	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years

AG8822



Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG8802	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8803	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8821	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years
AG8822	7W/9W/12W	Isolated	175-265V	Die-casting Aluminium	24/36/60	80lm/w	80	φ90* 60*75	75	White/Black/Golden	5 years

E-LITE


LIGHTING FITTINGS



DIE-CASTING ALUMINUM

SPOT LIGHT

SINCE 2008




Product Details

Model	AG-827
Size	φ85*35mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Fixed
Warranty	10 years



AG-828




Product Details

Model	AG-828
Size	86*86*35mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Fixed
Warranty	10 years



AG-830




Product Details

Model	AG-830
Size	85*85*32mm
Cut-out	75*75mm
Material	Die-casting Aluminum+PC CLAMP
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years




AG-829



Product Details

Model	AG-829
Size	φ85*32mm
Cut-out	75mm
Material	Die-casting Aluminum+PC CLAMP
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



E-LİTE semicon

AG9001B-S



Product Details

Model	AG9001B-S
Size	φ85*37mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG9001B-Q



Product Details

Model	AG9001B-Q
Size	φ85*25.7mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG9003B



Product Details

Model	AG9003B
Size	φ85*39mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG9006B



Product Details

Model	AG9006B
Size	φ85*39mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG9014B




Product Details

Model	AG9014B
Size	φ82*45.6
Cut-out	73.5mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG9004B-S




Product Details

Model	AG9004B-S
Size	90*90*37mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG9004B-Q



Product Details

Model	AG9004B-Q
Size	90*90*25.7mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG9010B



Product Details

Model	AG9010B
Size	116*116*51mm
Cut-out	105*105mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years




AG9011B



Product Details

Model	AG9011B
Size	236*116*51mm
Cut-out	225*105mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG9012B



Product Details


Model	AG9012B
Size	342*116*51mm
Cut-out	332*105mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10/MODULAR
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



E-LİTE semicon



AG-801




Product Details

Model	AG-801
Size	φ79.5*22mm
Cut-out	60mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Fixed
Warranty	10 years



AG-802




Product Details

Model	AG-802
Size	φ84*26mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-801B




Product Details

Model	AG-801B
Size	φ105*22mm
Cut-out	65mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Fixed
Warranty	10 years



AG-802B




Product Details

Model	AG-802B
Size	φ105*26mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-902




Product Details

Model	AG-902
Size	φ84*26mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-906




Product Details

Model	AG-906
Size	84*84*26mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-908




Product Details

Model	AG-908
Size	90*90*31mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-907




Product Details

Model	AG-907
Size	φ90*31mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-2806






Product Details

Model	AG-2806
Size	180*85*28mm
Cut-out	160*75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-910






Product Details

Model	AG-910
Size	φ85*26mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-924




Product Details

Model	AG-924
Size	φ84*24mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-925




Product Details

Model	AG-925
Size	84*84*40mm
Cut-out	75mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-6601





Product Details

Model	AG-6601
Size	φ85*40mm
Cut-out	68mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Fixed, IP65
Warranty	10 years




IRON

SPOT LIGHT

SINCE 2008

AG-8219




Product Details

Model	AG-8219
Size	φ85*27mm
Cut-out	65mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG-8217




Product Details

Model	AG-8217
Size	φ80*27mm
Cut-out	65mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG-8218




Product Details

Model	AG-8218
Size	φ90*35mm
Cut-out	70mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-8221




Product Details

Model	AG-8221
Size	φ80*27mm
Cut-out	65mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG-8222




Product Details

Model	AG-8222
Size	φ95*29mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-8223




Product Details

Model	AG-8223
Size	75*75*29mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG-8226




Product Details

Model	AG-8226
Size	90*90*27mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-8225




Product Details

Model	AG-8225
Size	φ95*29mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-8224




Product Details

Model	AG-8224
Size	90*90*31mm
Cut-out	65mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-8229




Product Details

Model	AG-8229
Size	φ90*27mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable, Movable
Warranty	10 years



AG-808




Product Details

Model	AG-808
Size	φ110*27mm
Cut-out	65mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-809




Product Details

Model	AG-809
Size	φ100*27mm
Cut-out	65mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-818




Product Details

Model	AG-818
Size	φ90*25mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-819



Product Details


Model	AG-819
Size	82*82*27mm
Cut-out	68mm
Material	IRON
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



LATHE
ALUMINUM

SPOT LIGHT

SINCE 2008




Product Details

Model	AG-821
Size	φ80*31mm
Cut-out	68mm
Material	Lathe Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，FIXED
Warranty	10 years



AG-822






Product Details

Model	AG-822
Size	φ90*30mm
Cut-out	87mm
Material	Lathe Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-824






Product Details

Model	AG-824
Size	90*90*30mm
Cut-out	87mm
Material	Lathe Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Movable
Warranty	10 years



AG-831




Product Details

Model	AG-831
Size	φ94*35mm
Cut-out	80mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Fixed
Warranty	10 years




AG-832



Product Details

Model	AG-832
Size	91*91*35mm
Cut-out	80mm
Material	Die-casting Aluminum
Lamp holder	MR16/GU10
Mounting type	Recessed
Technology field	LED Replaceable，Fixed
Warranty	10 years





E-LİTE


GU10 / MR16

SPOTLIGHT

FRAME

AG-8216 Module






Product Details

Model	AG-8216 Module
Power	5W / 6W
Driver Type	Isolated
Input Voltage	175-265V
Material	AL+PC
Angle	120
Lumen	80lm/w
RA	80
Dimension(mm)	50+38
Cut out（mm）	45mm
Color	Spray White
Warranty	5 years



GU10 Set A






Product Details

Model	GU10 Set A
Power	GU10,15cm,VDE Certification
Driver Type	GU10,15cm,VDE Certification
Input Voltage	GU10,15cm,VDE Certification
Material	GU10,15cm,VDE Certification
Angle	GU10,15cm,VDE Certification
Lumen	GU10,15cm,VDE Certification
RA	GU10,15cm,VDE Certification
Dimension(mm)	GU10,15cm,VDE Certification
Cut out（mm）	GU10,15cm,VDE Certification
Color	GU10,15cm,VDE Certification
Warranty	5 years



GU10 Set B






Product Details

Model	GU10 Set B
Power	GU10,15cm,VDE Certification
Driver Type	GU10,15cm,VDE Certification
Input Voltage	GU10,15cm,VDE Certification
Material	GU10,15cm,VDE Certification
Angle	GU10,15cm,VDE Certification
Lumen	GU10,15cm,VDE Certification
RA	GU10,15cm,VDE Certification
Dimension(mm)	GU10,15cm,VDE Certification
Cut out（mm）	GU10,15cm,VDE Certification
Color	GU10,15cm,VDE Certification
Warranty	5 years



GU10 Set C






Product Details

Model	GU10 Set C
Power	GU10,15cm,VDE Certification
Driver Type	GU10,15cm,VDE Certification
Input Voltage	GU10,15cm,VDE Certification
Material	GU10,15cm,VDE Certification
Angle	GU10,15cm,VDE Certification
Lumen	GU10,15cm,VDE Certification
RA	GU10,15cm,VDE Certification
Dimension(mm)	GU10,15cm,VDE Certification
Cut out（mm）	GU10,15cm,VDE Certification
Color	GU10,15cm,VDE Certification
Warranty	5 years



GU10




Product Details

Model	GU10
Power	GU10,15cm,VDE Certification
Driver Type	GU10,15cm,VDE Certification
Input Voltage	GU10,15cm,VDE Certification
Material	GU10,15cm,VDE Certification
Angle	GU10,15cm,VDE Certification
Lumen	GU10,15cm,VDE Certification
RA	GU10,15cm,VDE Certification
Dimension(mm)	GU10,15cm,VDE Certification
Cut out（mm）	GU10,15cm,VDE Certification
Color	GU10,15cm,VDE Certification
Warranty	5 years



MR16



Product Details

Model	MR16
Power	GU10,15cm,VDE Certification
Driver Type	GU10,15cm,VDE Certification
Input Voltage	GU10,15cm,VDE Certification
Material	GU10,15cm,VDE Certification
Angle	GU10,15cm,VDE Certification
Lumen	GU10,15cm,VDE Certification
RA	GU10,15cm,VDE Certification
Dimension(mm)	GU10,15cm,VDE Certification
Cut out（mm）	GU10,15cm,VDE Certification
Color	GU10,15cm,VDE Certification
Warranty	5 years





CABINET LIGHT

AG853




Product Details



Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG852	2W	Isolated	175-265V	Steel+Nylon	120	80lm/w	80	φ68*H25	60	Spray White	5 years
		Isolated								Satin Nickle	
AG853	1.5W	Isolated	175-265V	Steel+Nylon	120	80lm/w	80	φ68*H28	60	Spray White	5 years
		Isolated								Satin Nickle	

AG852



Product Details




Model	Power	Driver Type	Input Voltage	Material	Angle	Lumen	RA	Dimension (mm)	Cut out (mm)	Color	Warranty
AG852	2W	Isolated	175-265V	Steel+Nylon	120	80lm/w	80	φ68*H25	60	Spray White	5 years
		Isolated								Satin Nickle	
AG853	1.5W	Isolated	175-265V	Steel+Nylon	120	80lm/w	80	φ68*H28	60	Spray White	5 years
		Isolated								Satin Nickle	



Backlit Panel

E-LITE



Product parameter

Watts	CHIPS	SIZE(MM)	CCT	ANGLE	RA	LUMEN	VOLTAGE	DRIVER	PF	FLICKER	Diffuser	FRAMES	BACK COVER	WARRANTY
For Southeast Asia & Africa & Middle East Market														
40W	San'an 2835	595*595*30	4000-7000K	120°	80	80 lm/w	AC 175-265V	Non-isolated	PF>0.5	Flicker Free	0.5mm PS Diffuser	Plastic frames	0.18mm Iron backcover	2 YEARS
For Russia & Turkey Market														
70W	San'an 2835	595*595*20	4000-7000K	120°	80	80- lm/w	AC 175-265V	Non-isolated	PF>0.5	Flicker Free	0.7mm PS Diffuser	Aluminum frames	0.23mm Iron backcover	2 YEARS
For Europe Market														
36W	San'an 2835	595*595*30	4000-7000K	120°	80	80- 90lm/w(IES)	AC 220-240V	CE Driver	PF>0.95	Flicker Free	0.7mm PS Diffuser	Plastic frames	0.23mm Iron backcover	2 YEARS
40W	San'an 2835	595*595*30	4000-7000K	120°	80	100 lm/w(IES)	AC 220-240V	CE Driver	PF>0.95	Flicker Free	0.8mm PSDiffuser	Aluminum frames	0.25mm Iron backcover	25YEARS
For South America Market														
40W	San'an 2835	595*595*30	4000-7000K	120°	80	80-90 lm/w(IES)	AC 85-265V	Isolated	PF>0.9	YES	0.7mm PS Diffuser	Aluminum frames	0.23mm Iron backcover	3 YEARS

E-LITE



Product line






Daily capacity: 50000 pcs/day



Corridor panel

E-LITE





Product parameter

Watts	Chips	Dimension (mm)	CCT	Angle	RA	Lumen	Input Voltage	Driver	PF	Flicker	Diffuser	Frame	Back Cover	Warranty
For Southeast Asia & Africa & Middle East Market														
40W	San'an 4014	595*595*9	4000-7000K	120°	80	80-90 lm/w	AC 175-265V	Non-Isolated Driver	PF>0.5	No	1.8mm MS LGP	Aluminum Frames	0.18mm	2 Years
For South America Market														
40W	San'an 4014	595*595*9	4000-7000K	120°	80	80-90 lm/w	AC 85-265V	Isolated Driver	PF>0.5	No	1.8mm MS LGP	Aluminum Frames	0.18mm	2 Years
For Europe Market														
40W	San'an 4014	595*595*9	4000-7000K	120°	80	80-90 lm/w	AC 220-240V	CE Driver	PF>0.95	No	1.8mm MS LGP	Aluminum Frames	0.20mm	3 Years
40W	San'an 4014	595*595*9	4000-7000K	120°	80	100 lm/w	AC 220-240V	CE Driver	PF>0.95	No	1.8mm MS LGP	Aluminum Frames	0.20mm	5 Years
For Russia & Turkey Market														
40W	San'an 4014	295x1195x9	4000-7000K	120°	80	100lm/w(IES)	AC 175-265V	Isolated EMC Driver	PF>0.9	YES	1.8mm MS LGP	Aluminum Frames	0.18mm	2 Years
40W	San'an 4014	295x1195x9	4000-7000K	120°	80	100lm/w(IES)	AC 85-265V	Isolated EMC Driver	PF>0.9	YES	1.8mm MS LGP	Aluminum Frames	0.18mm	2 Years

E-LITE














Product line




Daily capacity: 3000 pcs/day



Ceiling light

E-LITE



Product parameter

Power	Dimension (mm)	Cut-out (mm)	Driver	Material	Beam angle	Ra(CRI)	Lm/W	PF	Input voltage	CCT	Warranty
For Southeast Asia & Africa & Middle East Market											
12w	250*250	Surface Mount	Non-isolated Driver	PP	120	80	80lm/w	0.5	175-265V	6500K	2 years
24w	320*320	Surface Mount		PP	120	80	80lm/w	0.5	175-265V	6500K	2 years
40w	380*380	Surface Mount		PP	120	80	80lm/w	0.5	175-265V	6500K	2 years
For South America Market											
12w	250*250	Surface Mount	Non-isolated Driver	PP	120	80	80lm/w	0.5	85-265V	6500K	2 years
24w	320*320	Surface Mount		PP	120	80	80lm/w	0.5	85-265V	6500K	2 years
40w	380*380	Surface Mount		PP	120	80	80lm/w	0.5	85-265V	6500K	2 years
For Australia&Europe Market											
18w	330*100	Surface Mount	Non-isolated Driver	PC+PMMA	120	80	70lm/w	0.5	170-265V	Dimmable	2 years
28w	430*100	Surface Mount		PC+PMMA	120	80	70lm/w	0.5	170-265V	Dimmable	2 years
60w	530*100	Surface Mount		PC+PMMA	120	80	70lm/w	0.5	170-265V	Dimmable	2 years

E-LITE


















Product line



Daily capacity: 7000 pcs/day